

Image shown above 28.6 Column


Series	28, 38V, 57, 73, 84, 84V
Glass Colours	28: Clear, colour pendants 38V: Clear 57: Grey, white, light mirror, dark mirror 73: Clear, grey 1, grey 2, grey 3 84: Clear/copper 84V: Clear/copper
Lamp	1.5W LED, 2500K, 130lm
Plug Types	Type A - 110V Type C - 230V Type G - 230V Type I - 230V
Pole Lengths	2400mm, 2700mm, 3000mm
Extenders	Additional extender available in 153mm, 305mm
Cable Length	2290mm black flexible cord
Finishes	Brass or black powder coated stem Brass dial control
Materials	Blown glass, brass stem, electrical components
Power Supply	Integral, dial control with build-in dimmer
Environment	Indoor, dry location. IP20
Note	The brass used in our Stem Series is untreated and, as such, will develop a natural patina over time. To avoid any marking or tarnish on the brass during handling and installation, please use the gloves provided in your shipment. Every single Bocci product is handmade. Each one is variously blown, poured, carved, polished, packed and dispatched directly by us. As such, no two products are identical; they are individual, irregular expressions of our research.

Patent #	28: US D687,740 EU 001695834-001 to 004 38V: EU 002071019-001 57: US D796732 EU 002268581-0001 to 0006 73: US D762,323 S EU 002633230-0001 - 0003 84: EU 003611144-0001 to 0004
-----------------	--




Weight (kg)		XXX.3	XXX.6
	28	7	11
	38V	10	16
	57	8	12
	73	10	17
	84	9	14
	84V	10	16

28



± Ø165

38V



Ø190 - 215

57



100 - 150

73



± 120 - 150

± 230 - 380

84



± 110 - 120


± Ø100 - 120

84V



± 90

Ø125 - 140




PLUG TYPES



Type A



Type C



Type G





Type I

All dimensions are in millimeters (mm) unless otherwise specified.

This diagram is meant to illustrate the extender combinations for the columnar stem fixtures.

Maximum 2 extenders per end.



All dimensions are in millimeters (mm) unless otherwise specified.